

Revision date: 18-Sep-2013 Version: 1.1 Page 1 of 12

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE **COMPANY/UNDERTAKING**

Product Identifier

Material Name: Draxxin 25 (Tulathromycin) solution for injection

Trade Name: DRAXXIN

Tulathromycin injectable solution Synonyms:

Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary product used as antibiotic agent

Details of the Supplier of the Safety Data Sheet

Zoetis Inc. Zoetis Belgium S.A. 100 Campus Drive, P.O. Box 651 Mercuriusstraat 20 Florham Park, New Jersey 07932 (USA) 1930 Zaventem **Belgium**

Rocky Mountain Poison Control Center Phone: 1-866-531-8896

Product Support/Technical Services Phone: 1-800-366-5288

Emergency telephone number: Emergency telephone number:

CHEMTREC (24 hours): 1-800-424-9300 International CHEMTREC (24 hours): +1-703-527-3887

Contact E-Mail: VMIPSrecords@zoetis.com

2. HAZARDS IDENTIFICATION

Clear, colorless to slightly yellow solution in multiple-dose vials Appearance:

Classification of the Substance or Mixture

GHS - Classification

Skin Sensitization: Category 1

EU Classification:

EU Indication of danger: Irritant

EU Symbol: Χi

EU Risk Phrases:

R43 - May cause sensitization by skin contact.

Label Elements

Signal Word: Warning

Hazard Statements: H317 - May cause an allergic skin reaction

Material Name: Draxxin 25 (Tulathromycin) solution for Page 2 of 12

injection

Revision date: 18-Sep-2013 Version: 1.1

Precautionary Statements: P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves/protective clothing/eye protection/face protection P272 - Contaminated work clothing should not be allowed out of the workplace

P302+ P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse P501 - Dispose of contents/container in accordance with all local and national regulations

Other Hazards

Short Term: Individuals sensitive to this chemical or other materials in its chemical class may develop

allergic reactions. In the event of accidental injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the

appropriate therapy instituted.

Known Clinical Effects: Ingestion of this material may cause effects similar to those generally seen in clinical use of

antibiotics including gastrointestinal irritation, vomiting, transient diarrhea, nausea, and

abdominal pain.

Australian Hazard Classification

(NOHSC):

Hazardous Substance. Non-Dangerous Goods.

Note: This document has been prepared in accordance with standards for workplace safety, which

require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Tulathromycin	217500-96-4	Not Listed	Xi;R36-R43	Eye Irrit. 2A (H319) Skin Sens. 1 (H317) Aquatic Acute 3 (H402) Aquatic Chronic 3 (H412)	2.5
Citric acid	77-92-9	201-069-1	Xi; R36	Not Listed	**
Propylene glycol	57-55-6	200-338-0	Not Listed	Not Listed	*
HYDROCHLORIC ACID	7647-01-0	231-595-7	T; R23 C; R35	Skin Corr.1B (H314) STOT SE 3 (H335)	**

Material Name: Draxxin 25 (Tulathromycin) solution for Page 3 of 12

injection

Revision date: 18-Sep-2013 Version: 1.1

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Monothioglycerol	96-27-5	202-495-0	Not Listed	Not Listed	*
Water	7732-18-5	231-791-2	Not Listed	Not Listed	*

Additional Information: ** to adjust pH

* Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safetv

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Exposure: Identification and/or Section 11 - Toxicological Information.

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Use carbon dioxide, dry chemical, or water spray.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion May emit toxic fumes of oxides of carbon and nitrogen.

Products:

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Material Name: Draxxin 25 (Tulathromycin) solution for Page 4 of 12

injection

Revision date: 18-Sep-2013 Version: 1.1

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Absorb spills with non-combustible absorbent material and transfer into a labeled container for

Collecting: disposal. Clean spill area thoroughly.

Additional Consideration for Non-essential personnel should be evacuated from affected area. Report emergency

Large Spills: situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid accidental injection. Minimize generating airborne mists and vapors. Avoid breathing mist or aerosols. When handling, use appropriate personal protective equipment (see Section 8). Wash hands and any exposed skin after removal of PPE. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls. Refer to Section 12 - Ecological Information, for information on potential effects on the environment.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store as directed by product packaging.

Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Tulathromycin

Zoetis OEL TWA 8-hr 1mg/m³, Sensitizer

Propylene glycol

Australia TWA 150 ppm

474 mg/m³ 10 mg/m³

Ireland OEL - TWAs 150 ppm

470 mg/m³ 10 mg/m³

Latvia OEL - TWA 7 mg/m³
Lithuania OEL - TWA 7 mg/m³

HYDROCHLORIC ACID

ACGIH Ceiling Threshold Limit: 2 ppm

Australia PEAK 5 ppm

7.5 mg/m³ **Austria OEL - MAKs**5 ppm
8 mg/m³

Belgium OEL - TWA 5 ppm 8 mg/m³

Bulgaria OEL - TWA 8.0 mg/m³

5 ppm

Material Name: Draxxin 25 (Tulathromycin) solution for Page 5 of 12

injection

Revision date: 18-Sep-2013 Version: 1.1

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Cyprus OEL - TWA	5 ppm
•	8 mg/m ³
Czech Republic OEL - TWA	8 mg/m ³
Estonia OEL - TWA	5 ppm
	8 mg/m ³
Germany - TRGS 900 - TWAs	2 ppm
	3 mg/m ³
Germany (DFG) - MAK	2 ppm
	3.0 mg/m ³
Greece OEL - TWA	5 ppm
	7 mg/m ³
Hungary OEL - TWA	8 mg/m³
Ireland OEL - TWAs	5 ppm
	8 mg/m ³
Italy OEL - TWA	5 ppm
	8 mg/m ³
Japan - OELs - Ceilings	5 ppm
Latria OFL TWA	7.5 mg/m ³
Latvia OEL - TWA	5 ppm
Lithuania OEL - TWA	8 mg/m ³
Littiualiia OEL - I WA	5 ppm 8 mg/m³
Luxembourg OEL - TWA	5 ppm
Luxembourg OLL - TWA	8 mg/m ³
Malta OEL - TWA	5 ppm
	8 mg/m ³
Netherlands OEL - TWA	8 mg/m ³
Vietnam O EL - TWAs	5 mg/m ³
Poland OEL - TWA	5 mg/m ³
Romania OEL - TWA	5 ppm
	8 mg/m ³
Slovakia OEL - TWA	5 ppm
	8.0 mg/m ³
Slovenia OEL - TWA	5 ppm
	8 mg/m ³
Spain OEL - TWA	5 ppm
	7.6 mg/m ³
Switzerland OEL -TWAs	2 ppm
	3.0 mg/m ³

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. General

room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne

contamination levels below the exposure limits listed above in this section.

Personal Protective Equipment:Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).

Hands: Wear impervious gloves to prevent skin contact.

Eyes: Wear safety glasses or goggles if eye contact is possible.

Skin: Wear impervious protective clothing to prevent skin contact - consider use of disposable

clothing where appropriate.

Material Name: Draxxin 25 (Tulathromycin) solution for Page 6 of 12

injection

Revision date: 18-Sep-2013 Version: 1.1

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection: If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate

respirator with a protection factor sufficient to control exposures to below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Solution in multiple-dose vials Color: Colorless to slightly yellow

Odor: No data available. Odor Threshold: No data available.

Molecular Formula: Mixture Molecular Weight: Mixture

Solvent Solubility: No data available Water Solubility: No data available

pH: 5.4

Melting/Freezing Point (°C):

Boiling Point (°C):

No data available.

No data available.

Partition Coefficient: (Method, pH, Endpoint, Value)

No data available **Tulathromycin**

Measured 7.0 Log P -1.41

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s):

Vapor Pressure (kPa):

Vapor Density (g/ml):

Relative Density:

No data available

Flammablity:

Autoignition Temperature (Solid) (°C):

Flammability (Solids):

Flash Point (Liquid) (°C):

Upper Explosive Limits (Liquid) (% by Vol.):

Lower Explosive Limits (Liquid) (% by Vol.):

No data available
No data available
No data available

Polymerization: Will not occur

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

Possibility of Hazardous Reactions

Oxidizing Properties: No data available

Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions. **Incompatible Materials:** As a precautionary measure, keep away from strong oxidizers

Hazardous Decomposition No data available

Products:

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: Toxicological properties of the formulation have not been investigated. The information

included in this section describes the potential hazards of the individual ingredients.

Material Name: Draxxin 25 (Tulathromycin) solution for Page 7 of 12

injection

Revision date: 18-Sep-2013 Version: 1.1

11. TOXICOLOGICAL INFORMATION

Acute Toxicity: (Species, Route, End Point, Dose)

Citric acid

Rat Oral LD50 3000 mg/kg

Propylene glycol

Mouse Oral LD50 22,000 mg/kg Rat Oral LD50 20,000 mg/kg Rabbit Dermal LD50 20,800 mg/kg

HYDROCHLORIC ACID

Rat Oral LD 50 238-277 mg/kg

Tulathromycin

Rat Oral LDmin. > 2000 mg/kg Rabbit Dermal LD50 > 2000 mg/kg

Acute Toxicity Comments:

A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable

at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Citric acid

Eye Irritation Rabbit Severe Skin Irritation Rabbit Mild

Propylene glycol

Skin Irritation Rabbit Mild Eye Irritation Rabbit Mild

Tulathromycin

Skin Irritation Rabbit Non-irritating Eye Irritation Rabbit Positive

Skin Sensitization - GPMT Guinea Pig Severe

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Tulathromycin

1 Month(s) Oral 50 mg/kg/day Liver, Blood Rat NOAEL Oral 15 mg/kg/day **NOAEL** Liver 3 Month(s) Rat Oral 15 mg/kg/day Liver 1 Month(s) Dog NOAEL 3 Month(s) Dog Oral 5 mg/kg/day NOEL Liver

1 Year(s) Dog Oral 5 mg/kg/day NOAEL Liver, Male reproductive system

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Tulathromycin

2 Generation Reproductive Toxicity Rat Oral 50 mg/kg/day NOAEL Paternal toxicity

ZT00011

Material Name: Draxxin 25 (Tulathromycin) solution for Page 8 of 12

injection

Revision date: 18-Sep-2013 Version: 1.1

11. TOXICOLOGICAL INFORMATION

2 Generation Reproductive Toxicity Rat Oral 100 mg/kg/day NOAEL Neonatal toxicity, Fertility Embryo / Fetal Development Rat Oral 200 mg/kg/day NOAEL No effects at maximum dose Embryo / Fetal Development Rabbit Oral 50 mg/kg/day NOAEL No effects at maximum dose

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Tulathromycin

Bacterial Mutagenicity (Ames) Salmonella Negative

In Vitro Chromosome Aberration Human Lymphocytes Negative

In Vivo Micronucleus Chromosome Aberration Rat Negative

In Vitro Chromosome Aberration Chinese Hamster Ovary (CHO) cells Negative

In Vitro Mammalian Cell Mutagenicity Chinese Hamster Ovary (CHO) cells Negative

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

HYDROCHLORIC ACID

IARC: Group 3 (Not Classifiable)

Material Name: Draxxin 25 (Tulathromycin) solution for Page 9 of 12

injection

Revision date: 18-Sep-2013 Version: 1.1

12. ECOLOGICAL INFORMATION

Environmental Overview: Environmental properties of the formulation have not been investigated. The following

information is available for the individual ingredients.

Toxicity:

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Tulathromycin

Daphnia magna (Water Flea) OECD EC50 64 mg/L 48 Hours Mysidopsis bahia (Mysid Shrimp) OECD LC50 48 Hours 20 mg/L Cyprinodon variegatus (Sheepshead Minnow) OECD LC50 48 Hours 20 mg/L Oncorhynchus mykiss (Rainbow Trout) OECD LC50 96 Hours > 982 mg/LSelenastrum capricornutum (Green Alga) OECD EC-50 72 Hours 70 ug/L

No data available

Aquatic Toxicity Comments: A greater than (>) symbol indicates that acute ecotoxicity was not observed at the maximum

solubility. Since the substance is insoluble in aqueous solutions above this concentration, an

acute ecotoxicity value (i.e. LC/EC50) is not achievable.

Bacterial Inhibition: (Inoculum, Method, End Point, Result)

Tulathromycin

Polytox IC-50 19 mg/L

Persistence and Degradability: No data available

Bio-accumulative Potential:

Tulathromycin

Measured 7.0 Log P -1.41

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental

releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

Page 10 of 12

Material Name: Draxxin 25 (Tulathromycin) solution for

injection

Revision date: 18-Sep-2013 Version: 1.1

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class:

Class D, Division 2, Subdivision B



Tulathromycin

CERCLA/SARA 313 Emission reporting Not Listed **California Proposition 65** Not Listed **EU EINECS/ELINCS List** Not Listed

Monothioglycerol

CERCLA/SARA 313 Emission reporting Not Listed **California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present **EU EINECS/ELINCS List** 202-495-0

Citric acid

CERCLA/SARA 313 Emission reporting Not Listed **California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present **EU EINECS/ELINCS List** 201-069-1

Propylene glycol

CERCLA/SARA 313 Emission reporting Not Listed **California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present **EU EINECS/ELINCS List** 200-338-0

Water

CERCLA/SARA 313 Emission reporting Not Listed **California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present **REACH - Annex IV - Exemptions from the** Present

obligations of Register:

Material Name: Draxxin 25 (Tulathromycin) solution for Page 11 of 12

injection

Revision date: 18-Sep-2013 Version: 1.1

15. REGULATORY INFORMATION

EU EINECS/ELINCS List 231-791-2

HYDROCHLORIC ACID

CERCLA/SARA 313 Emission reporting 1.0 %
CERCLA/SARA Hazardous Substances 5000 lb and their Reportable Quantities: 2270 kg
CERCLA/SARA - Section 302 Extremely Hazardous 500 lb

TPQs

CERCLA/SARA - Section 302 Extremely Hazardous 5000 lb

Substances EPCRA RQs

California Proposition 65
Inventory - United States TSCA - Sect. 8(b)
Australia (AICS):
Standard for the Uniform Scheduling
for Drugs and Poisons:
Schedule 6
EU EINECS/ELINCS List
Not Listed
Present
Schedule 5
Schedule 6
EU 231-595-7

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Sensitization, skin-Cat.1; H317 - May cause an allergic skin reaction Skin corrosion/irritation-Cat.1B; H314 - Causes severe skin burns and eye damage Serious eye damage/eye irritation-Cat.2A; H319 - Causes serious eye irritation Hazardous to the aquatic environment, acute toxicity-Cat.3; H402 - Harmful to aquatic life

Hazardous to the aquatic environment, chronic toxicity-Cat.3; H412 - Harmful to aquatic life with long lasting effects Specific target organ toxicity, single exposure; Respiratory tract irritation-Cat.3; H335 - May cause respiratory irritation

T - Toxic

C - Corrosive

Xi - Irritant

R23 - Toxic by inhalation.

R35 - Causes severe burns. R36 - Irritating to eyes.

R43 - May cause sensitization by skin contact.

Data Sources: The data contained in this MSDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking.

Prepared by: Toxicology and Hazard Communication

Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

Material Name: Draxxin 25 (Tulathromycin) solution for injection Page 12 of 12

Revision date: 18-Sep-2013 Version: 1.1

End of Safety Data Sheet