

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Product name : DUCRAY - FURTERER HYDROALCOHOLIC GEL
 Product code : ND4485
 Type of product : Health

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : THIS MSDS IS FOR PROFESSIONAL USE ONLY (MANUFACTURING, STORAGE, TRANSPORT)
 IT IS NOT INTENDED FOR CONSUMER
 Use of the substance/mixture : Biocide

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

DUCRAY / FURTERER - PIERRE FABRE DERMOCOSMETIQUE
 45 place Abel Gance
 92100 BOULOGNE - FRANCE
 T 33 (1) 49 10 80 00 - F 33 (1) 49 10 80 90
FDS@pierre-fabre.com

1.4. Emergency telephone number

Emergency number : INRS : 33 (1) 45 42 59 59 (FRANCE)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225
 Serious eye damage/eye irritation, Category 2 H319
 Specific target organ toxicity — Single exposure, Category 3, H335
 Respiratory tract irritation
 Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) : Danger
 Hazardous ingredients : ethyl alcohol
 Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.
 H319 - Causes serious eye irritation.
 H335 - May cause respiratory irritation.

DUCRAY - FURTERER HYDROALCOHOLIC GEL

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P210 - Keep away from open flames, sparks. No smoking.
P280 - Wear eye protection, face protection, respiratory protection.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Unknown hazards to the aquatic environment (CLP) : Contains 0,6 % of components with unknown hazards to the aquatic environment

2.3. Other hazards

Other hazards not contributing to the classification : In use, may form flammable vapour-air mixture.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethyl alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (REACH-no) 01-2119457610-43	50 – 75	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H335
glycerin substance with national workplace exposure limit(s) (BE, FR, GB)	(CAS-No.) 56-81-5 (EC-No.) 200-289-5 (REACH-no) 01-2119471987-18	5 – 10	Not classified
diethyl phthalate substance with national workplace exposure limit(s) (BE, FR, GB)	(CAS-No.) 84-66-2 (EC-No.) 201-550-6 (REACH-no) 01-2119486682-27	0,01 – 1	Not classified
triethanolamine substance with national workplace exposure limit(s) (BE)	(CAS-No.) 102-71-6 (EC-No.) 203-049-8 (REACH-no) 01-2119486482-31	0,01 – 1	Not classified

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Immediately call a POISON CENTER/doctor. Assure fresh air breathing. Allow the victim to rest. If the victim is unconscious, place him/her in security position.

First-aid measures after skin contact : Remove contaminated clothes for decontamination by the bottom (not to contaminate the face). Rinse the skin during at least 15 minutes with water at 15° C at 15 cm. If skin irritation occurs, Get medical advice/attention.

First-aid measures after eye contact : Immediately call a POISON CENTER/doctor. Immediately rinse with clean water for 15-20 minutes, and respect this time. Avoid contaminating the healthy eye during the rinsing.

First-aid measures after ingestion : Allow the victim to rest. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

DUCRAY - FURTERER HYDROALCOHOLIC GEL

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder.

5.2. Special hazards arising from the substance or mixture

Fire hazard : May form flammable vapour-air mixture.
Hazardous decomposition products in case of fire : COx. NOx. May release flammable gases.

5.3. Advice for firefighters

Precautionary measures fire : Do not enter fire area without proper protective equipment: fire clothes, boots and Individual Respiratory Protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Avoid product contact. Do not breathe vapours. Ventilate spillage area. Evacuate the danger area, observe emergency procedures. Do not smoke.

6.1.2. For emergency responders

Emergency procedures : Delimit the discharge area and prohibit the access. Discharges should be handled by trained cleaning personnel equipped with appropriated protection (Section 8).

6.2. Environmental precautions

Avoid release in sewage, river and ground water (earth dike, sewage shutter). In case of discharge, contact the agreed authority when the situation can not be controlled quickly and effectively.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Contain the discharges and collect them with absorbing material of the universal trade. Keep the wastes in closed and tight container.

6.4. Reference to other sections

Indications about protective equipment (see Section 8). Indications about waste treatment (see Section 13).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : People with appropriated protection equipment (Section 8). Manipulate away from open flames, hot surfaces and sources of ignition. Do not smoke. Use only in well ventilated areas. Handle empty containers with care because residual vapours are flammable.
Hygiene measures : Handle under hood. Wash hands after each handling. Remove the contaminated clothes. Do not drink, eat or smoke in the handling room. Inspect the individual protection equipment after each handling. No personal objects at the work station. Avoid taking contaminated clothes home. Change clothes systematically at coffee breaks or meal times.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Keep in a cool and well ventilated place. Keep container closed when not in use. Keep away from open flames, hot surfaces and sources of ignition.

7.3. Specific end use(s)

Apart from the use mentioned in Section 1.2 no other specific use is stipulated.

DUCRAY - FURTERER HYDROALCOHOLIC GEL

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ethyl alcohol (64-17-5)

Belgium - Occupational Exposure Limits

Local name	Alcool éthylique # Ethanol
Limit value (mg/m ³)	1907 mg/m ³
Limit value (ppm)	1000 ppm
Regulatory reference	Koninklijk besluit/Arrêté royal 21/01/2020

France - Occupational Exposure Limits

Local name	Alcool éthylique
VLEP, 8h (mg/m ³)	1900 mg/m ³
VLEP, 8h (ppm)	1000 ppm
VLEP, short term (mg/m ³)	9500 mg/m ³
VLEP, short term (ppm)	5000 ppm
Note (FR)	Valeurs recommandées/admises
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)

United Kingdom - Occupational Exposure Limits

Local name	Ethanol
WEL TWA (mg/m ³)	1920 mg/m ³
WEL TWA (ppm)	1000 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

USA - ACGIH - Occupational Exposure Limits

Local name	Ethanol
ACGIH STEL (ppm)	1000 ppm
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2020

glycerin (56-81-5)

Belgium - Occupational Exposure Limits

Local name	Glycérine (brouillard) # Glycerine (nevel)
Limit value (mg/m ³)	10 mg/m ³
Regulatory reference	Koninklijk besluit/Arrêté royal 21/01/2020

France - Occupational Exposure Limits

Local name	Glycérine (aérosols de)
VLEP, 8h (mg/m ³)	10 mg/m ³
Note (FR)	Valeurs recommandées/admises
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)

United Kingdom - Occupational Exposure Limits

Local name	Glycerol
WEL TWA (mg/m ³)	10 mg/m ³ mist

DUCRAY - FURTERER HYDROALCOHOLIC GEL

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

glycerin (56-81-5)

Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
----------------------	---------------------------------------

diethyl phthalate (84-66-2)

Belgium - Occupational Exposure Limits

Local name	Phtalate de diéthyle # Diethylftalaat
Limit value (mg/m ³)	5 mg/m ³
Regulatory reference	Koninklijk besluit/Arrêté royal 21/01/2020

France - Occupational Exposure Limits

Local name	Phtalate de diéthyle
VLEP, 8h (mg/m ³)	5 mg/m ³
Note (FR)	Valeurs recommandées/admises
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)

United Kingdom - Occupational Exposure Limits

Local name	Diethyl phthalate
WEL TWA (mg/m ³)	5 mg/m ³
WEL STEL (mg/m ³)	10 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

USA - ACGIH - Occupational Exposure Limits

Local name	Diethyl phthalate
ACGIH TWA (mg/m ³)	5 mg/m ³
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2020

triethanolamine (102-71-6)

Belgium - Occupational Exposure Limits

Local name	Triéthanolamine # Tri-ethanolamine
Limit value (mg/m ³)	5 mg/m ³
Regulatory reference	Koninklijk besluit/Arrêté royal 21/01/2020

USA - ACGIH - Occupational Exposure Limits

Local name	Triethanolamine
ACGIH TWA (mg/m ³)	5 mg/m ³
Remark (ACGIH)	TLV® Basis: Eye & skin irr
Regulatory reference	ACGIH 2020

8.2. Exposure controls

Appropriate engineering controls:

Chemical hood or sorbonne for handling. Fume detector. First-aid kit. Security instructions.

Eye protection:

Chemical goggles or face shield

DUCRAY - FURTERER HYDROALCOHOLIC GEL

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory protection:

Respiratory mask ABEK2 type.

Personal protective equipment symbol(s):



Thermal hazard protection:

No additional information available.

Environmental exposure controls:

No additional information available.

Consumer exposure controls:

No additional information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Gel.
Colour	: Colourless. Translucent.
Odour	: Characteristic.
Odour threshold	: No data available
pH	: 5,5 – 6,5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: > 35 °C (calculated)
Flash point	: 21 °C (calculated)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubilities	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other informations

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

May form flammable vapour-air mixture.

10.2. Chemical stability

Stable under recommended storage conditions (Section 7).

10.3. Possibility of hazardous reactions

No additional information available

DUCRAY - FURTERER HYDROALCOHOLIC GEL

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.4. Conditions to avoid

Open flames. Heat sources. Ignition sources. Direct sunlight.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

COx. NOx. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : No additional information available
Acute toxicity (dermal) : No additional information available
Acute toxicity (inhalation) : No additional information available

ethyl alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 oral mouse	3450 mg/kg
LC50 inhalation rat (mg/l)	116,9 mg/l/4h
LD50, intravenous, rat	1440 mg/kg
LD50, intravenous, mouse	1973 mg/kg

glycerin (56-81-5)	
LD50 oral rat	12600 mg/kg
LD50 dermal rabbit	> 10000 mg/kg

diethyl phthalate (84-66-2)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 10000 mg/kg

triethanolamine (102-71-6)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

Skin corrosion/irritation : No additional information available
pH: 5,5 – 6,5
Serious eye damage/irritation : No additional information available
pH: 5,5 – 6,5
Respiratory or skin sensitisation : No additional information available
Germ cell mutagenicity : No additional information available
Carcinogenicity : No additional information available

glycerin (56-81-5)	
NOAEL (chronic, oral, rat/male, 2 years)	8000 – 10000 mg/kg/d

triethanolamine (102-71-6)	
NOAEL (chronic, oral, rat/male, 2 years)	63 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 451 (Carcinogenicity Studies), Remarks on results: other:

DUCRAY - FURTERER HYDROALCOHOLIC GEL

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Reproductive toxicity : No additional information available

ethyl alcohol (64-17-5)

NOAEL (animal/male, F0/P)	5200 mg/kg/d (developmental toxicity, oral, rat)
NOAEL (animal/female, F0/P)	5200 mg/kg/d (developmental toxicity, oral, rat)
NOAEL (animal/male, F1)	5200 mg/kg/d (developmental toxicity, oral, rat)
NOAEL (animal/female, F1)	5200 mg/kg/d (developmental toxicity, oral, rat)

STOT-single exposure : No additional information available

STOT-repeated exposure : No additional information available

ethyl alcohol (64-17-5)

LOAEL (oral, rat, 90 days)	3200 mg/kg/d
NOAEL (oral, rat, 90 days)	1730 mg/kg/d

diethyl phthalate (84-66-2)

NOAEL (oral, rat, 90 days)	150 mg/kg/d
----------------------------	-------------

triethanolamine (102-71-6)

NOAEL (oral, rat, 90 days)	1000 mg/kg/d
NOAEL (dermal, rat/rabbit, 90 days)	125 mg/kg/d (rat)

Others : No additional information available

Other informations : The classification of this mixture was realized according to the concentrations of different ingredients.

SECTION 12: Ecological information

12.1. Toxicity

Unknown hazards to the aquatic environment (CLP) : Contains 0,6 % of components with unknown hazards to the aquatic environment
Hazardous to the aquatic environment, short-term (acute) : No additional information available
Hazardous to the aquatic environment, long-term (chronic) : No additional information available

ethyl alcohol (64-17-5)

LC50 96h fish	14200 mg/l
EC50 48h daphnia	5012 mg/l
ErC50 72h algae	275 mg/l
NOEC, daphnia	9,6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'
EC10, bacteria	6500 mg/l/30min

glycerin (56-81-5)

LC50 96h fish	54000 mg/l
LC50 other aquatic organisms	> 1000 mg/l
LC50 other aquatic organisms	> 1000 mg/l

DUCRAY - FURTERER HYDROALCOHOLIC GEL

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

diethyl phthalate (84-66-2)

LC50 96h fish	12 mg/l
LC50 other aquatic organisms	12 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 48h daphnia	90 mg/l
EC50 72h algae	23 mg/l
EC50 72h algae	45 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h algae	21 mg/l
NOEC, acute, fish	3 mg/l
NOEC, chronic, fish (35d)	5 mg/l (28d)
NOEC, chronic, daphnia (21d)	25 mg/l

triethanolamine (102-71-6)

LC50 96h fish	11800 mg/l
EC50 48h daphnia	610 mg/l
EC50 72h algae	216 mg/l
EC50 72h algae	Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC, chronic, daphnia (21d)	16 mg/l

12.2. Persistence and degradability

ethyl alcohol (64-17-5)

Persistence and degradability	Readily biodegradable.
Biodegradation (28d)	96 %

glycerin (56-81-5)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

diethyl phthalate (84-66-2)

Persistence and degradability	Readily biodegradable.
Biodegradation (28d)	94,6 %

triethanolamine (102-71-6)

Persistence and degradability	Readily biodegradable.
Biodegradation (28d)	100 %

12.3. Bioaccumulative potential

ethyl alcohol (64-17-5)

Partition coefficient n-octanol/water (Log Kow)	-0,35
Bioaccumulative potential	Bioaccumulation is not expected (Log Kow < 1).

glycerin (56-81-5)

Partition coefficient n-octanol/water (Log Kow)	-1,75
---	-------

DUCRAY - FURTERER HYDROALCOHOLIC GEL

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Bioaccumulative potential	Bioaccumulation is not expected (Log Kow < 1).
---------------------------	--

diethyl phthalate (84-66-2)

Bioconcentration factor (BCF REACH)	117
Partition coefficient n-octanol/water (Log Kow)	2,2
Bioaccumulative potential	Low bioaccumulation potential (1 < Log Kow < 3).

triethanolamine (102-71-6)

Partition coefficient n-octanol/water (Log Kow)	-2,3
Bioaccumulative potential	Bioaccumulation is not expected (Log Kow < 1).

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Others

Additional information : The classification of this mixture was realized according to the concentrations of different ingredients

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of this material and its container at hazardous or special waste collection point.

SECTION 14: Transport information

In accordance with ADR / ADN / IATA / IMDG / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1266	UN 1266	UN 1266	UN 1266	UN 1266
14.2. UN proper shipping name				
PERFUMERY PRODUCTS	PERFUMERY PRODUCTS	Perfumery products	PERFUMERY PRODUCTS	PERFUMERY PRODUCTS
Transport document description				
UN 1266 PERFUMERY PRODUCTS, 3, II, (D/E)	UN 1266 PERFUMERY PRODUCTS, 3, II	UN 1266 Perfumery products, 3, II	UN 1266 PERFUMERY PRODUCTS, 3, II	UN 1266 PERFUMERY PRODUCTS, 3, II
14.3. Transport hazard class(es)				
3	3	3	3	3
				
14.4. Packing group				
II	II	II	II	II

DUCRAY - FURTERER HYDROALCOHOLIC GEL

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.5. Environmental hazards

Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 163, 640D
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P001, IBC02, R001
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions (ADR) : TP1, TP8
Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Operation (ADR) : S2, S20
Hazard identification number (Kemler No.) : 33
Orange plates :



Tunnel restriction code (ADR) : D/E
EAC code : •3YE

Transport by sea

Special provisions (IMDG) : 163
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E2
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP1, TP8
EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-D
Stowage category (IMDG) : B
Properties and observations (IMDG) : Miscibility with water depends upon the composition.

Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 353
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L
Special provisions (IATA) : A3, A72
ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1
Special provisions (ADN) : 163, 640D
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E2
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : F1

DUCRAY - FURTERER HYDROALCOHOLIC GEL

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions (RID)	: 163, 640D
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP8
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 33

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

France			
No ICPE	Classified installations regime Désignation de la rubrique	Code Régime	Rayon
4331.text	Liquides inflammables de catégorie 2 ou catégorie 3 à l'exclusion de la rubrique 4330. La quantité totale susceptible d'être présente dans les installations y compris dans les cavités souterraines étant :		
4331.1	1. Supérieure ou égale à 1000 t Quantité seuil bas au sens de l'article R. 511-10 : 5 000 t. Quantité seuil haut au sens de l'article R. 511-10 : 50 000 t.	A	2
4331.2	2. Supérieure ou égale à 100 t mais inférieure à 1000 t Quantité seuil bas au sens de l'article R. 511-10 : 5 000 t. Quantité seuil haut au sens de l'article R. 511-10 : 50 000 t.	E	
4331.3	3. Supérieure ou égale à 50 t mais inférieure à 100 t Quantité seuil bas au sens de l'article R. 511-10 : 5 000 t. Quantité seuil haut au sens de l'article R. 511-10 : 50 000 t.	DC	

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : ethyl alcohol is listed
SZW-lijst van mutagene stoffen : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : ethyl alcohol is listed

DUCRAY - FURTERER HYDROALCOHOLIC GEL

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

NIET-limitatieve lijst van voor de voortplanting
giftige stoffen – Vruchtbaarheid : ethyl alcohol is listed

NIET-limitatieve lijst van voor de voortplanting
giftige stoffen – Ontwikkeling : ethyl alcohol is listed

Denmark

Class for fire hazard : Class I-1

Store unit : 1 liter

Classification remarks : F <Flam. Liq. 2>; Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

SDS EU (REACH Annex II)

Département Evaluation Sécurité des Produits

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

This SDS shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user:

- Medicinal products as defined in Directive 2001/83/EC,
- Cosmetic products as defined in Directive 76/768/EEC,
- Medical devices as defined in Directives 90/385/EEC and 93/42/EEC,
which are invasive or used in direct physical contact with the human body, and in Directive 98/79/EC.